ELSEVIER

Journal of Non-Crystalline Solids 259 (1999) ix–x

JOURNAL OF NON-CRYSTALLINE SOLIDS

www.elsevier.com/locate/jnoncrysol

Contents

Preface vii
Contents ix

Section 1. Rare earth doped glasses

Optical transitions of rare earth ions for amplifiers: how the local structure works in glass
S. Tanabe 1

Analysis of spectroscopic properties of erbium doped Ta_2O_5–Al_2O_3–SiO_2 optical fiber
K. Oh, A. Kilian and T.F. Morse 10

Enhanced fluorescence from Eu^{3+} owing to surface plasma oscillation of silver particles in glass
T. Hayakawa, S. Tamil Selvan and M. Nogami 16

Infrared and visible room temperature fluorescence induced by continuous laser excitation of new Nd^{3+}:phosphate glasses
M. Bouderbala, H. Mohmoh, A. Bahtat, M. Bahtat, M. Ouchetto, M. Druetta and B. Elouadi 23

Compositional dependence of the 1.3 μm emission and energy transfer mechanism in Ge–Ga–S glasses doped with Pr^{3+}
S.H. Park, J. Heo and H.S. Kim 31

Radiative and non-radiative relaxation of rare-earth ions in Ga_2S_3–GeS_2–La_2S_3 glasses
K. Kadono, M. Shojiya, M. Takahashi, H. Higuchi and Y. Kawamoto 39

Photoluminescence increase of Er^{3+} in Na_2O–Nb_2O_5–SiO_2 glasses after crystallization
Z. Yao, Y. Ding, T. Nanba and Y. Miura 45

Thermal effects on the excited state absorption and upconversion process of erbium ions in germanosilicate optical fiber
K. Oh and T.F. Morse 51

Upconversion fluorescence in Er^{3+}-doped Na_2O–GeO_2 glasses
H. Yamada and K. Kojima 57

Spectroscopic properties of Er^{3+}-doped Na_2O–GeO_2 gel
K. Kojima, T. Fujita and M. Yamazaki 63

Section 2. Induced optical phenomena

High pressure effect on optical properties of cerium ion in fluoroaluminate glass
N. Kitamura, K. Fukumi, J. Nishii, M. Makihara, T. Sasaki and N. Ohno 68

Oxygen related defect center formation in MeV energy boron implanted silica
R.H. Magruder III, R.A. Weeks, R.A. Weller, R.A. Zuhr and D.K. Hensley 73

Development of a wide-temperature range VUV and UV spectrophotometer and its applications to silica glass
K. Saito and A.J. Ikushima 81

Preparation of homogeneous microspheres for optical cavity
S. Shibata, T. Yano and M. Yamane 87

Formation process of CuCl nano-particles in silica glass by ion implantation
K. Fukumi, A. Chayahara, H. Kageyama, K. Kadono, T. Akai, N. Kitamura, H. Mizoguchi, Y. Horino, M. Makihara, K. Fujii and J. Hayakawa 93

Non-linear optical properties of titanium dioxide films containing dispersed gold particles
O. Maruyama, Y. Senda and S. Omi 100

Synthesis and linear and non-linear optical properties of (0.8PPV+0.2DMPPV)/silica glass composites by sol–gel process
W.-T. Han 107

THz optical switching in glasses containing bismuth oxide
S. Fujiwara, T. Suzuki, N. Sugimoto, H. Kanbara and K. Hirao 116

Electron structure of amorphous SiO_2 under strong electric field using DV-Xα
Y. Makino, K. Hirao, K. Kawamura, I. Tanaka and H. Adachi 121

Two-photon absorption and non-linear refraction in binary alkali germanate glasses at 355 nm
G. Furuhashi, Y. Watanabe, K. Nishio and T. Tsuchiya 127

Oriented surface crystallization of lithium niobate on glass and second harmonic generation
Y. Ding, Y. Miura, S. Nakaoka and T. Nanba 132

Degenerate two-photon absorption spectra in Bi_2O_3:B_2O_3 glasses
K. Imanishi, Y. Watanabe, T. Watanabe and T. Tsuchiya 139

Section 3. Photochemical phenomena

Photosensitivity of germanium oxide and germanosilicate glass sol–gel films
J.H. Jang, J. Koo and B.-S. Bae 144

Photochemical reactions of Ge-related defects in $10GeO_2{\cdot}90SiO_2$ glass prepared by sol–gel process
M. Takahashi, H. Shigemura, Y. Kawamoto, J. Nishii and T. Yoko 149

Effects of hydrogen molecule diffusion on LP_{0m} mode coupling of long-period gratings
J.N. Jang, H.G. Kim, S.G. Shin, M.S. Kim, S.B. Lee and K.H. Kwack 156

Optical properties of lead–tin fluoro phosphate glass doped with porphyrin metallocomplexes
M. Shiraishi, A. Makishima, H. Inoue and K. Soga 165

Persistent spectral hole burning of Sm^{2+} and Eu^{3+} ions in sol–gel derived glasses
M. Nogami 170

Section 4. Planar waveguides and structure

Sol–gel planar waveguides for integrated optics
R.M. Almeida 176

Optical and surface properties of inorganic and hybrid organic–inorganic silica–titania sol–gel planarwaveguides
P. Innocenzi, A. Martucci, M. Guglielmi, L. Armelao, S. Pelli, G.C. Righini and G.C. Battaglin. 182

Inductively coupled plasma etching of Ge-doped boron-phosphosilicate glass for planar lightwave circuit devices
S.-T. Jung, H.-S. Song, D.-S. Kim, Y.-H. Song, T.-H. Kim and H.-S. Kim 191

Pb L_3-edge EXAFS study on the oxyhalide PbO–PbI_2 glasses
S.-H. Kim, J.M. Lee, I.-K. Kim, S.-M. Kang and Y.G. Choi 198

EXAFS spectroscopic study of PbO–Bi_2O_3–Ga_2O_3 glasses
Y.G. Choi, K.H. Kim, V.A. Chernov and J. Heo 205

Author index 213
Subject index 216